


# PLATINUM WASH ZFX PRO



## SKU# EPW868

The Platinum Wash ZFX Pro features the latest in LED Quad Color technology featuring the new high Power OSRAM Quad color RGBW chipset as well as new improved optics providing 30% more output than comparable fixtures. With a wide motorized zoom range from 9 to 43 degrees as well as added chase / zone effects for more a more visual effect, this compact designed unit is ideal for the largest stages offering a compact weight, size and truck pack. Added features include a newly design full color touch screen display, built in EXDMX receiver and battery display backup. The unit has a powercon input for its multi-voltage switching power supply from 100-240v, 3 & 5 pin DMX connections and is CE approved and cETLus approval is pending.

**FEATURES** High Power Quad Color HO RGBW Moving Head Wash w/ Zoom & FX  
 190W total LED Engines compare to 700W Wash fixtures in output  
 Smaller, Brighter, Faster new technology innovative Quad Color  
 HO optical design and zone chase  
 100k hour LED engine

**TECHNICAL FEATURES** 19x10W OSRAM HO RGBW LEDs  
 8 Macro Effects  
 Zone Chase LED array macros  
 Smooth Flicker Free Dimming  
 Motorized Zoom 9°-21° beam angle (17° -43° field angle)  
 Electronic Strobe / Dimmer  
 EWDMX wireless DMX Receiver Built-in  
 3 & 5 pin DMX in/out  
 A/C Powercon input & C on/off switch  
 Manual, Master/Slave, Stand Alone  
 New High Resolution Color Touch Screen display / menu with battery back-up  
 RDM compatible  
 Full Ring Array control in 42 Ch. extended Mode

**LUX** 19,190 lux @2.5M


**CONTROL** EWDMX Wireless DMX Receiver Built in  
 3 DMX User Modes - 20/32/42 ch

**POWER SUPPLY** Auto Switching multi-voltage power supply 100-240v  
 350W total Max Power / 3.6A

**APPROVALS** cETLus Pending, CE approved

**DIMENSIONS** 14.4"L x 9"W x 19.4"H / 367x230x495mm

**WEIGHT** 33 lbs. / 15 kgs



# PLATINUM WASH ZFX PRO

## DMX Chart


32 Channel mode:

Ch	1 Pan	2 Tilt	3 Tilt	4 Tilt	5 Red	6 Green	7 Blue	8 White	9/10/11 Red	12/13/14 Green	15/16/17 Blue	18/19/20 White	21 Strobe	22 Beam	23 Zoom	24 Color Wash	25 Color Preset	26 Color Memory	27 Chase	28 Chase	29 Chase	30 Scan	31 Color	32 Auto
0%																								
100%																								

## Photometric Data


Beam angle 9°  
Field angle 17°  
Intensity LUX (Min.)

Red leds	3575	924	411
Green leds	7977	2157	978
Blue leds	980	280	125
White leds	11410	3135	1425
Full leds	19190	5290	2413



Beam angle 21°  
Field angle 43°  
Intensity LUX (Max.)

Red leds	610	171
Green leds	1614	424
Blue leds	200	51
White leds	2299	600
Full leds	3840	1050



Front Panel



Rear Panel



[www.elationlighting.com](http://www.elationlighting.com)

Toll Free (866) 245-6726

Specifications are preliminary & are subject to change without notice  
©Elation Professional • Los Angeles, Ca USA • Kerkrade, Netherlands