

ELATION® COLOUR CHORUS 24™
DMX Channel Values / Functions Version 1 (21 DMX Channels)
Specifications are subject to change without any prior written notice.
**Control of LED Modules depends on the Pixel Flip setting.*

MODE / CHANNEL																	VALUE	FUNCTION	
HSI 3 CH	DA 3 CH	HSI+ 4 CH	RGBA 4 CH	DA+ 5 CH	sRGBI 5 CH	RGBA+ 6 CH	sRGBI 9 CH	fxHSI 9 CH	sRGBI 10 CH	fxHSI 11 CH	DA 12 CH	HSI 12 CH	DA+ 14 CH	fxHSI 19 CH	fxHSI 21 CH	RGBA 16 CH	sRGBI 17 CH	sRGBI+ 21 CH	
																			LED GROUP 1-4*
																			0-1 GROUP 1
																			2-5 GROUP 2
																			6-7 GROUP 3
																			8-9 GROUP 4
																			10-115 NO Function
																			116 Between GROUP 1
														1	1				117-120 Between GROUP 2
																			121-122 Between GROUP 3
																			123-124 Between GROUP 4
																			125-207 NO Function
																			208-211 Interval GROUP 1
																			212-213 Interval GROUP 2
																			214-215 Interval GROUP 3
																			216-217 Interval GROUP 4
																			218-255 NO Function
								1		1					2	2			COLOR SPEED
																			0-255 Color Speed SLOW TO FAST
																			COLOR FAN
																			0-255 Variable Color Fan MIN to MAX
																			COLOR RANGE
																			0-255 Adjust Color Spectrum
																			COLOR STEP
																			0-254 Step to Fade Color Scroll Control
																			255 Switch to RGB
																			STROBE
																			0-31 NO Function
																			32-95 Variable Strobe Effect SLOW to FAST
																			96-127 LEDs ON
																			128-159 Pulse Effect in Sequence SLOW to FAST
																			160-191 LEDs ON
																			192-223 Random Strobe Effect SLOW to FAST
																			224-255 LEDs ON
																			FAN INTENSITY
																			0-255 Alternating Groups ON / OFF
1			1																HUE
																			0-255 0 to 100%
2			2																SATURATION
																			0-255 0 to 100%
3			3																INTENSITY
																			0-255 0 to 100%
	1		1	1	2	1	2			2									RED
																			0-255 0 to 100%
	2		2	2	3	2	3			3									GREEN
																			0-255 0 to 100%
	3		3	3	4	3	4			4									BLUE
																			0-255 0 to 100%
																			AMBER
																			0-255 0 to 100%
																			MASTER DIMMIER
																			0-255 Intensity 0 to 100%
																			PROGRAMS
																			0-19 NO FUNCTION
																			20-39 Program 1
																			40-59 Program 2
																			60-79 Program 3
																			80-99 Program 4
																			100-119 Program 5
																			120-139 Program 6
																			140-159 Program 7
																			160-179 Program 8
																			180-199 Program 9
																			200-219 Program 10
																			220-239 Program 11
																			240-255 Program 12
																			PROGRAM SPEED
																			0-255 Program Speed SLOW to FAST
																			PROGRAM FADE
																			0-255 Program Fade SLOW to FAST

ELATION | COLOUR CHORUS 48™ | dmx traits

ELATION® COLOUR CHORUS 24™
DMX Channel Values / Functions Version 1 (21 DMX Channels)
 Specifications are subject to change without any prior written notice.

*Control of LED Modules depends on the Pixel Flip setting.

MODE / CHANNEL																	VALUE	FUNCTION			
HSI 3 CH	DA 3 CH	HSI+ 4 CH	RGBA 4 CH	DA+ 5 CH	sRGBI 5 CH	RGBA+ 6 CH	sRGBI 9 CH	fxHSI 9 CH	sRGBI 10 CH	fxHSI 11 CH	DA 12 CH	HSI 12 CH	DA+ 14 CH	fxHSI 19 CH	fxHSI 21 CH	RGBA 16 CH	sRGBI 17 CH	sRGBI+ 21 CH			
																					COLOR MACROS
																				1-4	Color Macro 01
																				5-8	Color Macro 02
																				9-12	Color Macro 03
																				13-16	Color Macro 04
																				17-20	Color Macro 05
																				21-24	Color Macro 06
																				25-28	Color Macro 07
																				29-32	Color Macro 08
																				33-36	Color Macro 09
																				37-40	Color Macro 10
																				41-44	Color Macro 11
																				45-48	Color Macro 12
																				49-52	Color Macro 13
																				53-56	Color Macro 14
																				57-60	Color Macro 15
																				61-64	Color Macro 16
																				65-68	Color Macro 17
																				69-72	Color Macro 18
																				73-76	Color Macro 19
																				77-80	Color Macro 20
																				81-84	Color Macro 21
																				85-88	Color Macro 22
																				89-92	Color Macro 23
																				93-96	Color Macro 24
																				97-100	Color Macro 25
																				101-104	Color Macro 26
																				105-108	Color Macro 27
																				109-112	Color Macro 28
																				113-116	Color Macro 29
																				117-120	Color Macro 30
																				121-124	Color Macro 31
																				125-128	Color Macro 32
																				129-132	Color Macro 33
																				133-136	Color Macro 34
																				137-140	Color Macro 35
																				141-144	Color Macro 36
																				145-148	Color Macro 37
																				149-152	Color Macro 38
																				153-156	Color Macro 39
																				157-160	Color Macro 40
																				161-164	Color Macro 41
																				165-168	Color Macro 42
																				169-172	Color Macro 43
																				173-176	Color Macro 44
																				177-180	Color Macro 45
																				181-184	Color Macro 46
																				185-188	Color Macro 47
																				189-192	Color Macro 48
																				193-196	Color Macro 49
																				197-200	Color Macro 50
																				201-204	Color Macro 51
																				205-208	Color Macro 52
																				209-212	Color Macro 53
																				213-216	Color Macro 54
																				217-220	Color Macro 55
																				221-224	Color Macro 56
																				225-228	Color Macro 57
																				229-232	Color Macro 58
																				233-236	Color Macro 59
																				237-240	Color Macro 60
																				241-244	Color Macro 61
																				245-248	Color Macro 62
																				249-252	Color Macro 63
																				253-255	Color Macro 64
																					RED - LED GROUP 1*
																				0-255	0 to 100%
																					GREEN - LED GROUP 1*
																				0-255	0 to 100%
																					BLUE - LED GROUP 1*
																				0-255	0 to 100%
																					AMBER - LED GROUP 1*
																				0-255	0 to 100%
																					INTENSITY - LED GROUP 1*
																				0-255	0 to 100%

ELATION® COLOUR CHORUS 24™
DMX Channel Values / Functions Version 1 (21 DMX Channels)
 Specifications are subject to change without any prior written notice.

*Control of LED Modules depends on the Pixel Flip setting.

MODE / CHANNEL															VALUE	FUNCTION			
HSI 3 CH	DA 3 CH	HSI+ 4 CH	RGBA 4 CH	DA+ 5 CH	sRGBI 5 CH	RGBA+ 6 CH	sRGBI 9 CH	fxHSI 9 CH	sRGBI 10 CH	fxHSI 11 CH	DA 12 CH	HSI 12 CH	DA+ 14 CH	fxHSI 19 CH	fxHSI 21 CH	RGBA 16 CH	sRGBI 17 CH	sRGBI+ 21 CH	
											4		4			5	6	6	RED - LED GROUP 2*
																			0-255 0 to 100%
											5		5			6	7	7	GREEN - LED GROUP 2*
																			0-255 0 to 100%
											6		6			7	8	8	BLUE - LED GROUP 2*
																			0-255 0 to 100%
																8			AMBER - LED GROUP 2*
																			0-255 0 to 100%
																	9	9	INTENSITY - LED GROUP 2*
																			0-255 0 to 100%
											7		7			9	10	10	RED - LED GROUP 3*
																			0-255 0 to 100%
											8		8			10	11	11	GREEN - LED GROUP 3*
																			0-255 0 to 100%
											9		9			11	12	12	BLUE - LED GROUP 3*
																			0-255 0 to 100%
																12			AMBER - LED GROUP 3*
																			0-255 0 to 100%
																	13	13	INTENSITY - LED GROUP 3*
																			0-255 0 to 100%
											10		10			13	14	14	RED - LED GROUP 4*
																			0-255 0 to 100%
											11		11			14	15	15	GREEN - LED GROUP 4*
																			0-255 0 to 100%
											12		12			15	16	16	BLUE - LED GROUP 4*
																			0-255 0 to 100%
																16			AMBER - LED GROUP 4*
																			0-255 0 to 100%
																	17	17	INTENSITY - LED GROUP 4*
																			0-255 0 to 100%
																			PROGRAMS
																			0-19 NO FUNCTION
																			20-39 Program 1
																			40-59 Program 2
																			60-79 Program 3
																			80-99 Program 4
																			100-119 Program 5
																			120-139 Program 6
																			140-159 Program 7
																			160-179 Program 8
																			180-199 Program 9
																			200-219 Program 10
																			220-239 Program 11
																			240-255 Program 12
																			PROGRAM SPEED
																			0-255 Program Speed SLOW to FAST
											1		8	8					HUE - LED GROUP 1*
																			0-255 0 to 100%
											2		9	9					SATURATION - LED GROUP 1*
																			0-255 0 to 100%
											3		10	10					INTENSITY - LED GROUP 1*
																			0-255 0 to 100%
											4		11	11					HUE - LED GROUP 2*
																			0-255 0 to 100%
											5		12	12					SATURATION - LED GROUP 2*
																			0-255 0 to 100%
											6		13	13					INTENSITY - LED GROUP 2*
																			0-255 0 to 100%
											7		14	14					HUE - LED GROUP 3*
																			0-255 0 to 100%
											8		15	15					SATURATION - LED GROUP 3*
																			0-255 0 to 100%
											9		16	16					INTENSITY - LED GROUP 3*
																			0-255 0 to 100%
											10		17	17					HUE - LED GROUP 4*
																			0-255 0 to 100%
											11		18	18					SATURATION - LED GROUP 4*
																			0-255 0 to 100%
											12		19	19					INTENSITY - LED GROUP 4*
																			0-255 0 to 100%
												13		20					MASTER DIMMER
																			0-255 Intensity 0 to 100%
																			DIMMING CURVE MODES
																			0-20 STANDARD
																			21-40 STAGE
																			41-60 TV
																			61-80 ARCHITECTURAL
																			81-100 THEATRE
																			101-255 Default to Unit Setting

Elation Professional USA | 6122 S. Eastern Ave. | Los Angeles, CA. 90040
 323-582-3322 | 323-832-9142 fax | www.elationlighting.com | info@elationlighting.com

Elation Professional B.V. | Junostraat 2 | 6468 EW Kerkrade, Netherlands
 +31 45 546 85 66 | +31 45 546 85 96 fax | www.elationlighting.eu | info@elationlighting.eu