

ELATION® PLATINUM 1200 WASH™
DMX Channel Values / Functions (93 Total DMX Channels)

Supports Software Versions: ≥ 2.1.0

Features are subject to change without any prior written notice.

**Rotation direction (Clockwise or Counterclockwise) of effects depends on orientation of the fixture head and Pan/Tilt settings.*

MODE / CHANNEL			VALUE	FUNCTION
BASIC	STAND	EXTEND		
1	1	1		PAN MOVEMENT [8 BIT]
			0-255	PAN Movement
	2	2		PAN FINE MOVEMENT [16 BIT]
			0-255	Fine Control of PAN Movement
2	3	3		TILT MOVEMENT [8 BIT]
			0-255	TILT Movement
	4	4		TILT MOVEMENT [16 BIT]
			0-255	Fine Control of TILT Movement
3	5			RED [ALL PIXELS]
			0-255	Red (0-Black - 255-100%)
	6			RED FINE [ALL PIXELS]
			0-255	Red FINE Adjustment
4	7			GREEN [ALL PIXELS]
			0-255	Green (0-Black - 255-100%)
	8			GREEN FINE [ALL PIXELS]
			0-255	Green FINE Adjustment
5	9			BLUE [ALL PIXELS]
			0-255	Blue (0-Black - 255-100%)
	10			BLUE FINE [ALL PIXELS]
			0-255	Blue FINE Adjustment
6	11			WHITE [ALL PIXELS]
			0-255	White (0-Black - 255-100%)
	12			WHITE FINE [ALL PIXELS]
			0-255	White FINE Adjustment
	13			RED [CENTER PIXEL 1]
			0-255	Red (0-Black - 255-100%)
	14			GREEN [CENTER PIXEL 1]
			0-255	Green (0-Black - 255-100%)
	15			BLUE [CENTER PIXEL 1]
			0-255	Blue (0-Black - 255-100%)
	16			WHITE [CENTER PIXEL 1]
			0-255	White (0-Black - 255-100%)
	17			RED [PIXEL RING 2]
			0-255	Red (0-Black - 255-100%)
	18			GREEN [PIXEL RING 2]
			0-255	Green (0-Black - 255-100%)
	19			BLUE [PIXEL RING 2]
			0-255	Blue (0-Black - 255-100%)
	20			WHITE [PIXEL RING 2]
			0-255	White (0-Black - 255-100%)
	21			RED [PIXEL RING 3]
			0-255	Red (0-Black - 255-100%)
	22			GREEN [PIXEL RING 3]
			0-255	Green (0-Black - 255-100%)
	23			BLUE [PIXEL RING 3]
			0-255	Blue (0-Black - 255-100%)
	24			WHITE [PIXEL RING 3]
			0-255	White (0-Black - 255-100%)
		5		RED [PIXEL 1]
		6		Red (0-Black - 255-100%)
		7		GREEN [PIXEL 1]
		8		Green (0-Black - 255-100%)
		9		BLUE [PIXEL 1]
		10		Blue (0-Black - 255-100%)
		11		WHITE [PIXEL 1]
		12		White (0-Black - 255-100%)
		13		RED [PIXEL 2]
		14		Red (0-Black - 255-100%)
		15		GREEN [PIXEL 2]
		16		Green (0-Black - 255-100%)
		17		BLUE [PIXEL 2]
		18		Blue (0-Black - 255-100%)
		19		WHITE [PIXEL 2]
		20		White (0-Black - 255-100%)

ELATION® PLATINUM 1200 WASH™
DMX Channel Values / Functions (93 Total DMX Channels)

Supports Software Versions: ≥ 2.1.0

Features are subject to change without any prior written notice.

**Rotation direction (Clockwise or Counterclockwise) of effects depends on orientation of the fixture head and Pan/Tilt settings.*

MODE / CHANNEL			VALUE	FUNCTION
BASIC	STAND	EXTEND		
		13	0-255	RED [PIXEL 3] Red (0-Black - 255-100%)
		14	0-255	GREEN [PIXEL 3] Green (0-Black - 255-100%)
		15	0-255	BLUE [PIXEL 3] Blue (0-Black - 255-100%)
		16	0-255	WHITE [PIXEL 3] White (0-Black - 255-100%)
		17	0-255	RED [PIXEL 4] Red (0-Black - 255-100%)
		18	0-255	GREEN [PIXEL 4] Green (0-Black - 255-100%)
		19	0-255	BLUE [PIXEL 4] Blue (0-Black - 255-100%)
		20	0-255	WHITE [PIXEL 4] White (0-Black - 255-100%)
		21	0-255	RED [PIXEL 5] Red (0-Black - 255-100%)
		22	0-255	GREEN [PIXEL 5] Green (0-Black - 255-100%)
		23	0-255	BLUE [PIXEL 5] Blue (0-Black - 255-100%)
		24	0-255	WHITE [PIXEL 5] White (0-Black - 255-100%)
		25	0-255	RED [PIXEL 6] Red (0-Black - 255-100%)
		26	0-255	GREEN [PIXEL 6] Green (0-Black - 255-100%)
		27	0-255	BLUE [PIXEL 6] Blue (0-Black - 255-100%)
		28	0-255	WHITE [PIXEL 6] White (0-Black - 255-100%)
		29	0-255	RED [PIXEL 7] Red (0-Black - 255-100%)
		30	0-255	GREEN [PIXEL 7] Green (0-Black - 255-100%)
		31	0-255	BLUE [PIXEL 7] Blue (0-Black - 255-100%)
		32	0-255	WHITE [PIXEL 7] White (0-Black - 255-100%)
		33	0-255	RED [PIXEL 8] Red (0-Black - 255-100%)
		34	0-255	GREEN [PIXEL 8] Green (0-Black - 255-100%)
		35	0-255	BLUE [PIXEL 8] Blue (0-Black - 255-100%)
		36	0-255	WHITE [PIXEL 8] White (0-Black - 255-100%)
		37	0-255	RED [PIXEL 9] Red (0-Black - 255-100%)
		38	0-255	GREEN [PIXEL 9] Green (0-Black - 255-100%)
		39	0-255	BLUE [PIXEL 9] Blue (0-Black - 255-100%)
		40	0-255	WHITE [PIXEL 9] White (0-Black - 255-100%)
		41	0-255	RED [PIXEL 10] Red (0-Black - 255-100%)
		42	0-255	GREEN [PIXEL 10] Green (0-Black - 255-100%)
		43	0-255	BLUE [PIXEL 10] Blue (0-Black - 255-100%)
		44	0-255	WHITE [PIXEL 10] White (0-Black - 255-100%)

ELATION® PLATINUM 1200 WASH™
DMX Channel Values / Functions (93 Total DMX Channels)

Supports Software Versions: ≥ 2.1.0

Features are subject to change without any prior written notice.

**Rotation direction (Clockwise or Counterclockwise) of effects depends on orientation of the fixture head and Pan/Tilt settings.*

MODE / CHANNEL			VALUE	FUNCTION
BASIC	STAND	EXTEND		
		45	RED [PIXEL 11] 0-255	RED [PIXEL 11] Red (0-Black - 255-100%)
		46	GREEN [PIXEL 11] 0-255	GREEN [PIXEL 11] Green (0-Black - 255-100%)
		47	BLUE [PIXEL 11] 0-255	BLUE [PIXEL 11] Blue (0-Black - 255-100%)
		48	WHITE [PIXEL 11] 0-255	WHITE [PIXEL 11] White (0-Black - 255-100%)
		49	RED [PIXEL 12] 0-255	RED [PIXEL 12] Red (0-Black - 255-100%)
		50	GREEN [PIXEL 12] 0-255	GREEN [PIXEL 12] Green (0-Black - 255-100%)
		51	BLUE [PIXEL 12] 0-255	BLUE [PIXEL 12] Blue (0-Black - 255-100%)
		52	WHITE [PIXEL 12] 0-255	WHITE [PIXEL 12] White (0-Black - 255-100%)
		53	RED [PIXEL 13] 0-255	RED [PIXEL 13] Red (0-Black - 255-100%)
		54	GREEN [PIXEL 13] 0-255	GREEN [PIXEL 13] Green (0-Black - 255-100%)
		55	BLUE [PIXEL 13] 0-255	BLUE [PIXEL 13] Blue (0-Black - 255-100%)
		56	WHITE [PIXEL 13] 0-255	WHITE [PIXEL 13] White (0-Black - 255-100%)
		57	RED [PIXEL 14] 0-255	RED [PIXEL 14] Red (0-Black - 255-100%)
		58	GREEN [PIXEL 14] 0-255	GREEN [PIXEL 14] Green (0-Black - 255-100%)
		59	BLUE [PIXEL 14] 0-255	BLUE [PIXEL 14] Blue (0-Black - 255-100%)
		60	WHITE [PIXEL 14] 0-255	WHITE [PIXEL 14] White (0-Black - 255-100%)
		61	RED [PIXEL 15] 0-255	RED [PIXEL 15] Red (0-Black - 255-100%)
		62	GREEN [PIXEL 15] 0-255	GREEN [PIXEL 15] Green (0-Black - 255-100%)
		63	BLUE [PIXEL 15] 0-255	BLUE [PIXEL 15] Blue (0-Black - 255-100%)
		64	WHITE [PIXEL 15] 0-255	WHITE [PIXEL 15] White (0-Black - 255-100%)
		65	RED [PIXEL 16] 0-255	RED [PIXEL 16] Red (0-Black - 255-100%)
		66	GREEN [PIXEL 16] 0-255	GREEN [PIXEL 16] Green (0-Black - 255-100%)
		67	BLUE [PIXEL 16] 0-255	BLUE [PIXEL 16] Blue (0-Black - 255-100%)
		68	WHITE [PIXEL 16] 0-255	WHITE [PIXEL 16] White (0-Black - 255-100%)
		69	RED [PIXEL 17] 0-255	RED [PIXEL 17] Red (0-Black - 255-100%)
		70	GREEN [PIXEL 17] 0-255	GREEN [PIXEL 17] Green (0-Black - 255-100%)
		71	BLUE [PIXEL 17] 0-255	BLUE [PIXEL 17] Blue (0-Black - 255-100%)
		72	WHITE [PIXEL 17] 0-255	WHITE [PIXEL 17] White (0-Black - 255-100%)
		73	RED [PIXEL 18] 0-255	RED [PIXEL 18] Red (0-Black - 255-100%)
		74	GREEN [PIXEL 18] 0-255	GREEN [PIXEL 18] Green (0-Black - 255-100%)
		75	BLUE [PIXEL 18] 0-255	BLUE [PIXEL 18] Blue (0-Black - 255-100%)
		76	WHITE [PIXEL 18] 0-255	WHITE [PIXEL 18] White (0-Black - 255-100%)

ELATION® PLATINUM 1200 WASH™
DMX Channel Values / Functions (93 Total DMX Channels)

Supports Software Versions: ≥ 2.1.0

Features are subject to change without any prior written notice.

**Rotation direction (Clockwise or Counterclockwise) of effects depends on orientation of the fixture head and Pan/Tilt settings.*

MODE / CHANNEL			VALUE	FUNCTION
BASIC	STAND	EXTEND		
		77	0-255	RED [PIXEL 19] Red (0-Black - 255-100%)
		78	0-255	GREEN [PIXEL 19] Green (0-Black - 255-100%)
		79	0-255	BLUE [PIXEL 19] Blue (0-Black - 255-100%)
		80	0-255	WHITE [PIXEL 19] White (0-Black - 255-100%)
7	25	81		COLOR PRESETS
			0-4	NO FUNCTION
			5-9	WHITE 2700K
			10-14	WHITE 3200K
			15-19	WHITE 4300K
			20-24	WHITE 5600K
			25-29	WHITE 6500K
			30-34	WHITE 8000K
			35-39	RED [all LEDs]
			40-44	GREEN [all LEDs]
			45-49	BLUE [all LEDs]
			50-54	NATURAL WHITE [all LEDs]
			55-59	FULL WHITE [all LEDs]
			60-64	YELLOW [all LEDs]
			65-69	MAGENTA [all LEDs]
			70-74	CYAN [all LEDs]
			75-79	SALMON [all LEDs]
			80-84	TURQUOISE [all LEDs]
			85-89	LIGHT GREEN [all LEDs]
			90-94	STEEL BLUE [all LEDs]
			95-99	ORANGE [all LEDs]
			100-104	STRAW [all LEDs]
			105-109	PALE LAVENDER [all LEDs]
			110-114	PINK [all LEDs]
			115-119	RED/WHITE [outside ring / inside ring & center pixel]
120-124	GREEN/RED [outside ring / inside ring & center pixel]			
125-129	BLUE/RED [outside ring / inside ring & center pixel]			
130-134	WHITE/RED [outside ring / inside ring & center pixel]			
135-139	WHITE/PINK[outside ring / inside ring & center pixel]			
140-144	WHITE/TURQUOISE [outside ring / inside ring & center pixel]			
145-149	SMALL RED/WHITE [center pixel / outside & inside rings]			
150-255	RESERVED			
8	26	82		SHUTTER, STROBE
			0-31	LEDs OFF
			32-63	LEDs ON
			64-95	Strobe Effect SLOW to FAST
			96-127	LEDs ON
			128-159	Pulse Effect In Sequences
			160-191	LEDs ON
			192-223	Random Strobe Effect SLOW to FAST
			224-255	LEDs ON
9	27	83		DIMMER INTENSITY
			0-255	Dimmer 0 to 100%
		84		DIMMER INTENSITY FINE
			0-255	Dimmer FINE Adjustment
10	28	85		DIMMER MODES
			0-20	Standard
			21-40	Stage
			41-60	TV
			61-80	Architectural
			81-100	Theatre
		101-255		Default to Setting on Fixture

ELATION® PLATINUM 1200 WASH™
DMX Channel Values / Functions (93 Total DMX Channels)

Supports Software Versions: ≥ 2.1.0

Features are subject to change without any prior written notice.

**Rotation direction (Clockwise or Counterclockwise) of effects depends on orientation of the fixture head and Pan/Tilt settings.*

MODE / CHANNEL			VALUE	FUNCTION
BASIC	STAND	EXTEND		
11	29	86		MOTORIZED ZOOM
			0-255	ZOOM Adjustment from SMALL to BIG
		87		MOTORIZED ZOOM FINE
			0-255	ZOOM FINE Adjustment
12	30	88		PATTERNS AND CHASE MACROS
			0-14	NO FUNCTION (LEDs OFF)
			15-30	Center Pixel
			31-46	Inside Pixel Ring
			47-62	Outside Pixel Ring
			63-78	Center Pixel & Inside Pixel Ring
			79-94	Inside & Outside Pixel Rings
			95-110	All Pixels
			111-126	Chase 1
			127-142	Chase 2
			143-158	Chase 3
			159-174	Chase 4
			175-190	Chase 5
			191-206	Chase 6
			207-222	Chase 7
223-238	Chase 8			
239-255	Chase 9			
13	31	89		CHASE SPEED
			0-125	*Counterclockwise Chase Speed FAST to SLOW
			126-130	STOP (Speed = 0)
			131-255	*Clockwise Chase Speed SLOW to FAST
14	32	90		CHASE FADE
			0-255	Chase Fade
15	33	91		COLOR MODE - WHITE BALANCE
			0-189	NO FUNCTION
			190-254	EDIT a New WHITE BALANCE Setting
			255	SAVE New WHITE BALANCE Setting to Fixture(s)
				*NOTE: DMX VALUE of 91-93 MUST FIRST BE SELECTED ON CH17 (Basic), CH35 (Stand), or CH93 (Extend) TO ENABLE FEATURE.
16	34	92		PAN / TILT MOVEMENT SPEED
			0-225	MAX to MIN Speed
			226-235	Blackout by Movement
			236-255	NO FUNCTION
17	35	93		SPECIAL FUNCTIONS / INTERNAL PROGRAMS
			0-79	Color Change Normal
			80-84	ALL MOTOR RESET
			85-87	SCAN MOTOR RESET
			88-90	NO FUNCTION
			91-93	EDIT and SAVE WHITE BALANCE ENABLED
			94-96	NO FUNCTION
			97-99	OTHER MOTORS RESET
			100-119	Internal Program 1 (Scene 1-8)
			120-139	Internal Program 2 (Scene 9-16)
			140-159	Internal Program 3 (Scene 17-24)
			160-179	Internal Program 4 (Scene 25-32)
			180-199	Internal Program 5 (Scene 33-40)
			200-219	Internal Program 6 (Scene 41-48)
			220-239	Internal Program 7 (Scene 49-56)
240-255	NO FUNCTION			

NOTE
Colors must be selected for PATTERNS AND CHASE MACROS to function and colors are determined by the RGBW and/or COLOR PRESETS values selected.

ELATION® PLATINUM 1200 WASH™ DMX Channel Values / Functions (93 Total DMX Channels) Supports Software Versions: ≥ 2.1.0				
Features are subject to change without any prior written notice. <i>*Rotation direction (Clockwise or Counterclockwise) of effects depends on orientation of the fixture head and Pan/Tilt settings.</i>				
MODE / CHANNEL			VALUE	FUNCTION
BASIC	STAND	EXTEND		

PIXEL NUMBERS



PIXEL RINGS



Pixel control depends on PAN/TILT position of head!